


USER MANUAL

Wireless CarPlay Adapter



CONTENT

How to check a car has CarPlay or not ...	4
What's in the box	5
Connection diagram	6
How to use wireless CarPlay	7
Firmware update & report an issue	8
How to update or report	9

READ ME FIRST

This adapter is designed for iPhone to use Apple CarPlay wirelessly on factory car multimedia system which has built-in wired Apple CarPlay.


Please refer to the next page for how to check a car has Apple CarPlay or not.

However, NOT every car with built-in CarPlay could fit this adapter. If there is any issue while using the adapter, please do not hesitate to contact us.


Function	Convert OEM Apple CarPlay to wireless Apple CarPlay
Compatibility	Car: with OEM Apple CarPlay
	iPhone: running iOS 10 or newer
Control	OEM touch screen, steering wheel, and joystick control
Input Power	USB 5V
Connectivity	WiFi & Bluetooth

How to check a car has CarPlay or not

1. Plug an iPhone (running iOS 10 or newer) into the car USB ports with genuine factory lightning cable. If there is a notification pop up on iPhone like below, that your car has built-in Apple CarPlay.



2. If there is a CarPlay icon in the car stereo menu, that your car has built-in Apple CarPlay.



3. Contact your car dealer for help.

What's in the box

Wireless adapter *1

USB cable (Type-C to A) *1


USB cable (Type-C to C) *1

User manual *1

Connection diagram




or



NOTE! The adapter should be plugged into the USB port that is for wired Apple CarPlay/Android Auto connecting if there are multi USB ports in your car.

How to use wireless CarPlay

- Turn on your iPhone's WiFi and Bluetooth, then pair to the Bluetooth named "**AUTO-xxxx**"
- Tap "**Pair-Allow-Use CarPlay**" on the iPhone pop-up notifications
- It will then connect to CarPlay wirelessly after a few seconds.



NOTE! Before pairing to a new iPhone, please disconnect the currently connected phone from WiFi and Bluetooth.

/ Firmware update & report an issue

Firmware updating is NOT recommended when every function works well.

The image shows a web interface with two main sections. The top section is a form for reporting an issue, enclosed in a dashed border. It contains the following fields: 'Car Make' with the example 'E.g. Toyota', 'Model Name' with 'E.g. Camry XLE', and 'Year' with 'E.g. 2020'. Below these is a text area for a 'Detailed description of the problem:' with the placeholder 'Please enter text here'. A green 'Submit' button is at the bottom of this section. An arrow points from the text 'Report the issue' to the text area. The bottom section is titled 'Online Update' and has a grey header. Below the header, it says 'New version is available'. A red 'Update' button is positioned below this text. An arrow points from the text 'Check for update' to the 'Update' button. Underneath the 'Update' button is the 'Update Notes' section, which lists '1. fix some bugs'. At the bottom of the page, there is a footer with 'Copyright©2020 - 2021' and a navigation bar containing 'AA', the IP address '192.168.1.101', and a refresh icon.

Car Make E.g. Toyota

Model Name E.g. Camry XLE

Year E.g. 2020

Detailed description of the problem:

Please enter text here

Submit

Report the issue

Online Update

New version is available

Update

Check for update

Update Notes

1. fix some bugs

Copyright©2020 - 2021

AA 192.168.1.101 ↻

● How to update or report

- If your iPhone is connecting to the wireless CarPlay, enter **192.168.1.101** on iPhone's browser, next tap "**Update**" if there is an update available
- If your iPhone could not connect to the wireless CarPlay, please join the adapter's WiFi network [**AUTO-xxxx**] by manual and the password is **88888888**
- Next enter **192.168.1.101** on iPhone's browser, tap "**Update**".
- At the same web interface, you could also fill in the car make, model years, and issue details, next tap "**Submit**" to report the issue. After the success notification appears, take a screenshot and email us. We will fix it as soon as possible.

NOTE! The blue LED indicator will flash while updating. Wait for more 30s after the indicator is always on, then disconnect and reconnect the adapter from USB port to finish the whole update.

